

**From:** Belinda Hodge <Belinda@livingstone2013.com>  
**Subject:**  
**Date:** 14 November 2013 06:42:25 GMT+02:00

---

```
<?php
/**
 * @package   HikaShop for Joomla!
 * @version   1.6.0
 * @author    hikashop.com
 * @copyright (C) 2010-2012 HIKARI SOFTWARE. All rights reserved.
 * @license   GNU/GPLv3 http://www.gnu.org/licenses/gpl-3.0.html
 */
defined('_JEXEC') or die('Restricted access');
?>
<?php
$colspan = 2;
global $Itemid;
$url_itemid = '';
if(!empty($Itemid)){
    $url_itemid='&Itemid='.$Itemid;
}
?>
<div id="hikashop_order_main">
<fieldset>
    <div class="header hikashop_header_title"><h1><?php echo JText::_('HIKASHOP_ORDER').':'. $this->
    element->order_number;?></h1></div>
    <div class="toolbar hikashop_header_buttons" id="toolbar">
        <table>
            <tr>
                <?php
                if(hikashop_level(1)){
                    if( $this->config->get('print_invoice_frontend') && !in_array($this->element->
                    order_status,array('refunded','cancelled'))){ ?>
                        <td>
                            <a id="hikashop_order_print_button" class="modal" rel="{handler: 'iframe', size: {x: 760, y:
                            480}}" href="<?php echo hikashop_completeLink('order&task=invoice&order_id='.$this->element->
                            order_id.$url_itemid,true); ?>">
                                <span class="icon-32-print" title="<?php echo JText::_('PRINT_INVOICE'); ?>">
                                </span>
                                <?php echo JText::_('HIKA_PRINT'); ?>
                            </a>
                        </td>
                <?php }
                } ?>
                <td>
                    <a id="hikashop_order_back_button" onclick="submitbutton('cancel'); return false;" href="#" >
                        <span class="icon-32-back" title="<?php echo JText::_('HIKA_BACK'); ?>">
                        </span>
                        <?php echo JText::_('HIKA_BACK'); ?>
                    </a>
                </td>
            </tr>
        </table>
    </div>
</fieldset>
<div class="iframedoc" id="iframedoc"></div>
<form action="<?php echo hikashop_completeLink('order'.$url_itemid); ?>" method="post" name="adminForm"
id="adminForm">
    <table width="100%">
<?php if($this->invoice_type!='order'){?>
    <tr>
        <td>
            <span id="hikashop_order_title" class="hikashop_order_title"><?php echo JText::_('INVOICE');?
        </span>
    </td>
    </tr>
</table>
</div>
```

```

        <br/>
        <br/>
    </td>
</tr>
<?php }?>
<tr>
    <td>
        <div id="hikashop_order_right_part" class="hikashop_order_right_part">
            <?php echo JText::_('DATE').': ' .hikashop_getDate($this->element->order_created,'%d %B %Y ');?>
        </div>
        <?php if($this->invoice_type=='order'){
            echo JText::_('HIKASHOP_ORDER');
        }else{
            echo JText::_(strtoupper($this->invoice_type));
        }
        echo ': ' .@$this->element->order_number;
    ?>
    </div>
    <div id="hikashop_order_left_part" class="hikashop_order_left_part"><?php
        echo $this->store_address;
    ?></div>
</td>
</tr>
<tr>
    <td>
        <br/>
        <br/>
        <table width="100%">
            <tr>
                <?php
                    $params = null;
                    $js = '';
                ?>
                <?php if(!empty($this->element->billing_address)){ ?>
                    <td>
                        <fieldset class="adminform" id="htmlfieldset_billing">
                            <legend style="background-color: #FFFFFF;"><?php echo
JText::_('HIKASHOP_BILLING_ADDRESS'); ?></legend>
                            <?php
                                $html = hikashop_getLayout('address','address_template',$params,$js);
                                if(!empty($this->element->fields)){
                                    foreach($this->element->fields as $field){
                                        $fieldname = $field->field_namekey;
                                        $html=str_replace('{'.$fieldname.'}', $this->fieldsClass->show($field,$this-
>element->billing_address->$fieldname),$html);
                                    }
                                }
                                echo str_replace("\n","<br/>\n",str_replace("\n\n","\n",preg_replace('#{(?:
(?:!}).)*}#i','', $html)));
                            ?>
                        </fieldset>
                    </td>
                <?php }
                if(!empty($this->element->order_shipping_id) && !empty($this->element->shipping_address)){
                    ?>
                    <td>
                        <fieldset class="adminform" id="htmlfieldset_shipping">
                            <legend style="background-color: #FFFFFF;"><?php echo
JText::_('HIKASHOP_SHIPPING_ADDRESS'); ?></legend>
                            <?php
                                $override = false;
                                if(method_exists($this->currentShipping, 'getShippingAddress')) {
                                    $override = $this->currentShipping->getShippingAddress($this->element-
>order_shipping_id);
                                }

```

```

        if($override !== false ) {
            echo $override;
        } else {
            $html = hikashop_getLayout('address', 'address_template', $params, $js);
            if(!empty($this->element->fields)){
                foreach($this->element->fields as $field){
                    $fieldname = $field->field_namekey;
                    $html=str_replace('{'.$fieldname.'}', $this->fieldsClass->show($field, $this->
                    >element->shipping_address->$fieldname), $html);
                }
            }
            echo str_replace("\n", "<br/>\n", str_replace("\n\n", "\n", preg_replace('#{(?:
            (?!}).)*}#i', '', $html)));
        }
        ?>
    </fieldset>
</td><?php
    } ?>
</tr>
</table>
</td>
</tr>
<tr>
<td>
<br/>
<fieldset class="adminform" id="htmlfieldset_products">
    <legend style="background-color: #FFFFFF;"><?php echo JText::_('PRODUCT_LIST'); ?></legend>
    <table cellpadding="1" width="100%">
        <thead>
            <tr>
                <th class="hikashop_order_item_name_title title">
                    <?php echo JText::_('PRODUCT'); ?>
                </th>
                <?php
                $files = false;
                foreach($this->order->products as $product){
                    if(!empty($product->files)) $files = true;
                }
                if($this->invoice_type=='order' && $files){ $colspan++; ?>
                <th class="hikashop_order_item_files_title title">
                    <?php echo JText::_('HIKA_FILES'); ?>
                </th>
                <?php } ?>
                <th class="hikashop_order_item_price_title title">
                    <?php echo JText::_('UNIT_PRICE'); ?>
                </th>
                <th class="hikashop_order_item_quantity_title title titletoggle">
                    <?php echo JText::_('PRODUCT_QUANTITY'); ?>
                </th>
                <th class="hikashop_order_item_total_title title titletoggle">
                    <?php echo JText::_('PRICE'); ?>
                </th>
            </tr>
        </thead>
        <tbody>
        <?php
        $k=0;
        $group = $this->config->get('group_options', 0);
        foreach($this->order->products as $product){
            if($group && $product->order_product_option_parent_id) continue;
            ?>
            <tr class="row<?php echo $k;?>">
                <td class="hikashop_order_item_name_value">
                    <?php if($this->invoice_type=='order' && !empty($product->product_id)){ ?>
                        <a class="hikashop_order_product_link" href="<?php echo

```

```

hikashop_completeLink('product&task=show&cid=' . $product->product_id.$url_itemid); ?>">
    <?php } ?>
    <p class="hikashop_order_product_name">
        <?php echo $product->order_product_name; ?>
        <?php if ($this->config->get('show_code')) { ?>
            <span class="hikashop_product_code_order"><?php echo $product-
>order_product_code; ?></span>
            <?php } ?>
        </p>
        <?php
        if($group){
            $display_item_price=false;
            foreach($this->order->products as $j => $optionElement){
                if($optionElement->order_product_option_parent_id != $product->order_product_id)
continue;

                if($optionElement->order_product_price>0){
                    $display_item_price = true;
                }
            }
            if($display_item_price){
                if($this->config->get('price_with_tax')){
                    echo ' ' . $this->currencyHelper->format($product->order_product_price+$product-
>order_product_tax,$this->order->order_currency_id);
                }else{
                    echo ' ' . $this->currencyHelper->format($product->order_product_price,$this-
>order->order_currency_id);
                }
            }
        }
        if($this->invoice_type=='order' && !empty($product->product_id)){ ?>
            </a>
        <?php } ?>
        <p class="hikashop_order_product_custom_item_fields">
        <?php
        if(hikashop_level(2) && !empty($this->fields['item']))){
            foreach($this->fields['item'] as $field){
                $namekey = $field->field_namekey;
                if(!empty($product->$namekey)){
                    echo '<p class="hikashop_order_item_' . $namekey . '">' . $this->fieldsClass-
>getFieldName($field).' : ' . $this->fieldsClass->show($field,$product->$namekey).'</p>';
                }
            }
        }
        if($group){
            foreach($this->order->products as $j => $optionElement){
                if($optionElement->order_product_option_parent_id != $product->order_product_id)
continue;

                $product->order_product_price += $optionElement->order_product_price;
                $product->order_product_tax += $optionElement->order_product_tax;
                $product->order_product_total_price += $optionElement->order_product_total_price;
                $product->order_product_total_price_no_vat += $optionElement-
>order_product_total_price_no_vat;
            }
            <p class="hikashop_order_option_name">
            <?php
            echo $optionElement->order_product_name;
            if($optionElement->order_product_price>0){
                if($this->config->get('price_with_tax')){
                    echo ' ( + ' . $this->currencyHelper->format($optionElement-
>order_product_price+$optionElement->order_product_tax,$this->order->order_currency_id).' ) ';
                }else{
                    echo ' ( + ' . $this->currencyHelper->format($optionElement-
>order_product_price,$this->order->order_currency_id).' ) ';
                }
            }
        }
    }
}

```

```

    }
    ?>
  </p>
  <?php
  }
} ?>
</p>
</td>
<?php if($this->invoice_type=='order' && $files){ ?>
<td class="hikashop_order_item_files_value">
  <?php
  if(!empty($product->files) && ($this->order_status_download_ok || bccomp($product-
>order_product_price,0,5)==0)){
    $html = array();
    foreach($product->files as $file){
      $fileHtml = '';
      if(!empty($this->download_time_limit) && ($this->download_time_limit+$this-
>order->order_created)<time()){
        $fileHtml = JText::_('TOO_LATE_NO_DOWNLOAD');
      }
      if(!empty($file->file_limit) && (int)$file->file_limit != 0) {
        $download_number_limit = $file->file_limit;
        if($download_number_limit < 0)
          $download_number_limit = 0;
      } else {
        $download_number_limit = $this->download_number_limit;
      }
      if(!empty($download_number_limit) && $download_number_limit<=$file-
>download_number){
        $fileHtml = JText::_('MAX_REACHED_NO_DOWNLOAD');
      }
      if(empty($fileHtml)){
        if(empty($file->file_name)){
          $file->file_name = JText::_('DOWNLOAD_NOW');
        }
        $fileHtml = '<a
href="'.hikashop_completelink('order&task=download&file_id='.$file->file_id.'&order_id='.$this->order-
>order_id.$url_itemid).'>'.$file->file_name.'</a>';
        if(!empty($this->download_time_limit))$fileHtml .= ' /
'.JText::sprintf('UNTIL_THE_DATE',hikashop_getDate($this->order->order_created+$this-
>download_time_limit));
        if(!empty($download_number_limit))$fileHtml .= ' /
'.JText::sprintf('X_DOWNLOADS_LEFT',$download_number_limit-$file->download_number);
      }else{
        if(empty($file->file_name)){
          $file->file_name = JText::_('EMPTY_FILENAME');
        }
        $fileHtml = $file->file_name .' '.$fileHtml;
      }
      $html[]=$fileHtml;
    }
    echo implode('<br/>',$html);
  }
  ?>
</td>
<?php } ?>
<td class="hikashop_order_item_price_value">
  <?php
  if($this->config->get('price_with_tax')){
    echo $this->currencyHelper->format($product->order_product_price+$product-
>order_product_tax,$this->order->order_currency_id);
  }else{
    echo $this->currencyHelper->format($product->order_product_price,$this->order-
>order_currency_id);
  } ?>

```

```

        </td>
        <td class="hikashop_order_item_quantity_value">
            <?php echo $product->order_product_quantity;?>
        </td>
        <td class="hikashop_order_item_total_value">
            <?php
                if($this->config->get('price_with_tax')){
                    echo $this->currencyHelper->format($product->order_product_total_price,$this-
>order->order_currency_id);
                }else{
                    echo $this->currencyHelper->format($product-
>order_product_total_price_no_vat,$this->order->order_currency_id);
                } ?>
            </td>
        </tr>
        <?php
            $k=1-$k;
        }
    ?>
    <tr>
        <td style="border-top:2px solid #B8B8B8;" colspan="<?php echo $colspan; ?>"
        </td>
        <td class="hikashop_order_subtotal_title" style="border-top:2px solid #B8B8B8;"
class="key">
            <label>
                <?php echo JText::_('SUBTOTAL'); ?>
            </label>
        </td>
        <td class="hikashop_order_subtotal_value" style="border-top:2px solid #B8B8B8;">
            <?php
                if($this->config->get('price_with_tax')){
                    echo $this->currencyHelper->format($this->order->order_subtotal,$this->order-
>order_currency_id);
                }else{
                    echo $this->currencyHelper->format($this->order->order_subtotal_no_vat,$this->order-
>order_currency_id);
                } ?>
            </td>
        </tr>
        <?php
            $taxes = $this->order->order_subtotal-$this->order->order_subtotal_no_vat;
            if(!empty($this->order->order_discount_code)){ ?>
        <tr>
            <td colspan="<?php echo $colspan; ?>"
            </td>
            <td class="hikashop_order_coupon_title key">
                <label>
                    <?php echo JText::_('HIKASHOP_COUPON'); ?>
                </label>
            </td>
            <td class="hikashop_order_coupon_value" >
                <?php
                    if($this->config->get('price_with_tax')){
                        echo $this->currencyHelper->format($this->order->order_discount_price*-1.0,$this-
>order->order_currency_id);
                    }else{
                        echo $this->currencyHelper->format(($this->order->order_discount_price-@data-
>order_discount_tax)*-1.0,$this->order->order_currency_id);
                    } ?>
                </td>
            </tr>
        <?php }
        if($taxes != 0){
            if($this->config->get('detailed_tax_display') && !empty($this->order->order_tax_info)){
                foreach($this->order->order_tax_info as $tax){ ?>

```

```

        <tr>
            <td colspan="<?php echo $colspan; ?>">
            </td>
            <td class="hikashop_order_tax_title key">
                <label>
                    <?php echo $tax->tax_namekey; ?>
                </label>
            </td>
            <td class="hikashop_order_tax_value">
                <?php echo $this->currencyHelper->format($tax->tax_amount,$this->order-
>order_currency_id); ?>
            </td>
        </tr>
    <?php
    }
    }else{ ?>
        <tr>
            <td colspan="<?php echo $colspan; ?>">
            </td>
            <td class="hikashop_order_tax_title key">
                <label>
                    <?php echo JText::_( 'VAT' ); ?>
                </label>
            </td>
            <td class="hikashop_order_tax_value">
                <?php echo $this->currencyHelper->format($taxes,$this->order->order_currency_id);
?>
            </td>
        </tr>
    <?php }
    }
    if(!empty($this->order->additional)) {
        $exclude_additional = explode(',', $this->config->get('order_additional_hide', ''));
        foreach($this->order->additional as $additional) {
            if(in_array($additional->name, $exclude_additional)) continue;
        ?>
        <tr>
            <td colspan="<?php echo $colspan; ?>">
            </td>
            <td class="hikashop_order_additional_title key">
                <label><?php
                echo JText::_($additional->order_product_name);
                ?></label>
            </td>
            <td class="hikashop_order_additional_value"><?php
            if(!empty($additional->order_product_price)) {
                $additional->order_product_price = (float)$additional->order_product_price;
            }
            if(!empty($additional->order_product_price) || empty($additional-
>order_product_options)) {
                if($config->get('price_with_tax')){
                    echo $this->currencyHelper->format($additional-
>order_product_price+@$additional->order_product_tax, $this->order->order_currency_id);
                }else{
                    echo $this->currencyHelper->format($additional->order_product_price, $this-
>order->order_currency_id);
                }
            } else {
                echo $additional->order_product_options;
            }
            ?></td>
        </tr>
    <?php }
    }
}

```

```

if(!empty($this->order->order_shipping_method)){ ?>
<tr>
  <td colspan="<?php echo $colspan; ?>">
  </td>
  <td class="hikashop_order_shipping_title key">
    <label>
      <?php echo JText::_('SHIPPING' ); ?>
    </label>
  </td>
  <td class="hikashop_order_shipping_value" >
    <?php
      if($this->config->get('price_with_tax')){
        echo $this->currencyHelper->format($this->order->order_shipping_price,$this->order-
>order_currency_id);
      }else{
        echo $this->currencyHelper->format($this->order->order_shipping_price-@$data-
>order_shipping_tax,$this->order->order_currency_id);
      } ?>
    </td>
</tr>
<?php }
if(!empty($this->order->order_payment_method) && $this->order->order_payment_price != 0){
?>

<tr>
  <td colspan="<?php echo $colspan; ?>">
  </td>
  <td class="hikashop_order_payment_title key">
    <label>
      <?php echo JText::_('HIKASHOP_PAYMENT' ); ?>
    </label>
  </td>
  <td class="hikashop_order_payment_value" >
    <?php echo $this->currencyHelper->format($this->order->order_payment_price,$this-
>order->order_currency_id); ?>
  </td>
</tr>
<?php } ?>
<tr>
  <td colspan="<?php echo $colspan; ?>">
  </td>
  <td class="hikashop_order_total_title key">
    <label>
      <?php echo JText::_('HIKASHOP_TOTAL' ); ?>
    </label>
  </td>
  <td class="hikashop_order_total_value" >
    <?php
      if($this->config->get('show_taxes') == 'both'){
      }
      else if($this->config->get('show_taxes') == 'with'){
      }
      else{
        echo $this->currencyHelper->format($this->order->order_full_price,$this->order-
>order_currency_id);
      } ?>
    </td>
</tr>
</tbody>
</table>
</fieldset>
</td>
</tr>
<tr>
  <td>
<?php

```



```

JPluginHelper::importPlugin('hikashop');
$dispatcher =& JDispatcher::getInstance();
$dispatcher->trigger('onAfterOrderProductsListingDisplay', array(&$this->order, 'order_front_show'));
?>
</td>
</tr>
<?php if(hikashop_level(2) && !empty($this->fields['order'])){?>
<tr>
<td>
<fieldset class="hikashop_order_custom_fields_fieldset">
<legend><?php echo JText::_('ADDITIONAL_INFORMATION'); ?></legend>
<table class="hikashop_order_custom_fields_table adminlist" cellpadding="1" width="100%">
<?php foreach($this->fields['order'] as $fieldName => $oneExtraField) {
if(!@$oneExtraField->field_frontcomp || empty($this->order->$fieldName)) continue;
?>
<tr class="hikashop_order_custom_field_<?php echo $fieldName;?>_line">
<td class="key">
<?php echo $this->fieldsClass->getFieldName($oneExtraField);?>
</td>
<td>
<?php echo $this->fieldsClass->show($oneExtraField,$this->order->$fieldName); ?>
</td>
</tr>
<?php } ?>
</table>
</fieldset>
</td>
</tr>
<?php } ?>
<?php if(hikashop_level(2) && !empty($this->order->entries)){?>
<tr>
<td>
<fieldset class="htmlfieldset_entries">
<legend><?php echo JText::_('HIKASHOP_ENTRIES'); ?></legend>
<table class="hikashop_entries_table adminlist" cellpadding="1" width="100%">
<thead>
<tr>
<th class="title titlenum">
<?php echo JText::_('HIKA_NUM' );?>
</th>
<?php
if(!empty($this->fields['entry'])){
foreach($this->fields['entry'] as $field){
echo '<th class="title">'.$this->fieldsClass->trans($field->field_realname).'

```

```

        }
    }
    ?>
</tr>
<?php
    $k=1-$k;
    $i++;
}
?>
</tbody>
</table>
</fieldset>
</td>
</tr>
<?php } ?>
</table>
<input type="hidden" name="cid[]" value="<?php echo $this->element->order_id; ?>" />
<input type="hidden" name="option" value="<?php echo HIKASHOP_COMPONENT; ?>" />
<input type="hidden" name="task" value="" />
<input type="hidden" name="ctrl" value="<?php echo JRequest::getCmd('ctrl'); ?>" />
<input type="hidden" name="cancel_redirect" value="<?php echo JRequest::getString('cancel_redirect');
?>" />
<input type="hidden" name="cancel_url" value="<?php echo JRequest::getString('cancel_url'); ?>" />
<?php echo JHTML::_('form.token' ); ?>
</form>
</div>
<p>Account owner: <br />Bank Account Number: <br />Bank Branch Code: <br />BIC swift Bank Identification
Code: <br />Bank: Barclays Bank, V<br />FCA Centre - <br />Bank Transfer Reference: customer name and
Order No.</p>

```